

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method for determining whether a sound ~~field~~ is intended for production in one channel pair comprising ~~multiple a pair of~~ audio channels or a plurality of channel pairs, each comprising ~~multiple a pair of~~ audio channels, comprising:
 - detecting one or more sound events in the sound ~~field~~;
 - analyzing at least one aspect of power in one or more channel pairs to determine a comparative indicator ~~direction~~ of the power of the sound ~~field~~ in the one or more channel pairs, when any of the one or more sound events are detected;
 - determining a number of instances in which the comparative indicator ~~direction~~ of the power of the sound ~~field~~ includes a predetermined direction ~~comparison~~;
 - determining whether the number exceeds a value; and
 - determining that the sound ~~field~~ is intended for production in the plurality of channel pairs, if the number exceeds the value.
2. (Currently Amended) The method of Claim 1, further comprising determining that the sound ~~field~~ is intended for production in the one channel pair, if the number does not exceed the value.
3. (Currently Amended) The method of Claim 1, where detecting the one or more sound events in the sound ~~field~~ includes detecting the one or more sound events in an input channel pair.
4. (Original) The method of Claim 3, where the input channel pair is a center-surround input channel pair.
5. (Currently Amended) The method of Claim 1, where the predetermined ~~direction~~ comparison is a rear direction.
6. (Original) The method of Claim 1, where the value is about 2 to about 3.
7. (Currently Amended) The method of Claim 1, where the predetermined ~~direction~~ comparison is between about zero degrees and about -22.5 degrees.

8. (Original) The method of Claim 1, further comprising determining a duration of the one or more sound events.
9. (Original) The method of Claim 8, further comprising determining whether the duration of the one or more sound events exceed about a predetermined duration.
10. (Original) The method of Claim 9, where the one or more sound events include a sound event type and the predetermined duration is that of the detected sound event type.
11. (Original) The method of Claim 9, where the predetermined duration is about 50ms.
12. (Original) The method of Claim 9, where the predetermined duration is about 200ms to about 300ms.
13. (Currently Amended) The method of Claim 9, where determining the comparative indicator direction of the power of the sound ~~field~~ includes determining the comparative indicator direction of the power of the sound ~~field~~ when the duration of the one or more sound events exceed about the predetermined duration.
14. (Currently Amended) The method of Claim 9, where determining the number of instances includes determining the number of instances in which the power of the sound ~~field~~ for the one or more sound events that exceed about the predetermined duration, exceeds the value.
15. (Original) The method of Claim 1, where detecting the one or more sound events includes detecting the one or more sound events in a time period.
16. (Original) The method of Claim 15, where the time period is about 10 seconds to about 15 seconds.
17. (Currently Amended) A method for determining whether a sound ~~field~~ is intended for production in one channel pair comprising ~~multiple a pair of~~ audio channels or a plurality of channel pairs, each comprising ~~multiple a pair of~~ audio channels, comprising:
 - detecting a plurality of sound event types in the sound ~~field~~;
 - analyzing at least one aspect of power in one or more channel pairs to determine a comparative indicator direction of the power of the sound ~~field~~ in the one or more channel pairs, when any of the plurality of sound event types is detected;
 - determining a number of instances in which the comparative indicator direction of the power of the sound ~~field~~ includes a predetermined direction comparison;
 - determining whether the number exceeds a value; and

determining that the sound ~~field~~ is intended for production in the plurality of channel pairs, if the number exceeds a value.

18. (Currently Amended) The method of Claim 17, further comprising determining that the sound ~~field~~ is intended for production in one channel pair, if the number does not exceed a value.

19. (Original) The method of Claim 17, where the one of the plurality of sound event types that is detected defines a detected sound event type and the method further comprises determining the duration of the detected sound event.

20. (Original) The method of Claim 19, further comprising determining whether the duration of the detected sound event type exceeds about a predetermined duration.

21. (Original) The method of Claim 20, where the predetermined duration is that of the detected sound event type.

22. (Currently Amended) The method of Claim 20, where determining the comparative indicator direction of the power of the sound ~~field~~ includes determining the comparative indicator direction of the power of the sound ~~field~~ when the duration of the detected sound event type exceeds about the predetermined duration.

23. (Original) The method of Claim 17, where detecting the plurality of sound event types includes detecting the plurality of sound event types in a time period.

24. (Currently Amended) A computer readable medium comprising computer-executable instructions for performing a method for determining whether a sound ~~field~~ is intended for production in one input channel pair comprising ~~multiple~~ a pair of audio input channels or a plurality of input channel pairs, each comprising ~~multiple~~ a pair of audio input channels, comprising the steps of:

detecting one or more sound events in the sound ~~field~~;

analyzing at least one aspect of power in one or more channel pairs to determine a comparative indicator direction of the power of the sound ~~field~~ in the one or more channel pairs, when any of the one or more sound events are detected;

determining a number of instances in which the comparative indicator direction of the power of the sound ~~field~~ includes a predetermined direction comparison;

determining whether the number exceeds a value; and

determining that the sound ~~field~~ is intended for production in the plurality of input channel pairs, if the number exceeds the value.

25. (Currently Amended) A computer readable medium comprising computer-executable instructions for performing a method for determining whether a sound ~~field~~ is intended for production in one input channel pair comprising ~~multiple~~ a pair of audio input channels or a plurality of input channel pairs, each comprising ~~multiple~~ a pair of audio input channels, comprising the steps of:

detecting a plurality of sound event types in the sound ~~field~~;

analyzing at least one aspect of power in one or more channel pairs to determine a comparative indicator direction of the power of the sound ~~field~~ in the one or more channel pairs, when any of the plurality of sound event types is detected;

determining a number of instances in which the comparative indicator direction of the power of the sound ~~field~~ includes a predetermined direction comparison;

determining whether the number exceeds a value; and

determining that the sound ~~field~~ is intended for production in the plurality of channel pairs, if the number exceeds a value.

26. (Canceled)

27. (Canceled)

28. (Currently Amended) An apparatus for determining whether a sound ~~field~~ is intended for production in one channel pair comprising ~~multiple~~ a pair of audio channels or a plurality of channel pairs, each comprising ~~multiple~~ a pair of audio channels, comprising:

a sound event detector in communication with the sound ~~field~~ and producing a first signal indicating when a sound event is detected;

a sound event localizer in communication with the sound event detector, where when the first signal indicates that the sound event is detected, the sound event localizer produces a second signal indicating a comparative indicator direction of a power of the sound ~~field~~, the comparative indicator direction of the power of the sound ~~field~~ being based on analyzing at least one aspect of the power in one or more channel pairs;

a detector in communication with the sound event detector and producing a third signal indicating whether the comparative indicator direction of the power of the sound ~~field~~ includes a predetermined direction comparison; and

a counter in communication with the detector and producing a fourth signal indicating whether a number of instances for which the comparative indicator direction of the power of the

sound field that includes the predetermined ~~direction~~ comparison exceeds a value, and if the number exceeds the value, the counter produces the fourth signal indicating that the sound field is intended for production in the plurality of channel pairs.

29. (Currently Amended) The apparatus of Claim 28, further comprising, if the number does not exceed the value, the counter produces the fourth signal indicating that the sound field is intended for production in the one channel pair.

30. (Original) The apparatus of Claim 28, where the sound event detector is in communication with a center-surround input channel pair.

31. (Currently Amended) An apparatus for determining whether a sound field is intended for production in one channel pair comprising ~~multiple~~ a pair of audio channels or a plurality of channel pairs, each comprising ~~multiple~~ a pair of audio channels, comprising:

a sound event detector in communication with the sound field and producing a first signal indicating when any of a plurality of sound events is detected;

a sound event localizer in communication with the sound event detector and when the first signal indicates that one of the plurality of sound events is detected, the sound event localizer produces a second signal indicating a comparative indicator ~~direction~~ of a power of the sound field, the comparative indicator ~~direction~~ of the power of the sound field being based on analyzing at least one aspect of the power in one or more channel pairs;

a detector in communication with the sound event detector and producing a third signal indicating whether the comparative indicator ~~direction~~ of the power of the sound field includes a predetermined ~~direction~~ comparison; and

a counter in communication with the detector, where the counter produces a fourth signal indicating whether a number of the comparative indicator ~~direction~~ of the power of the sound field that includes the predetermined ~~direction~~ comparison exceeds a value, where if the number exceeds the value, the counter produces the fourth signal indicating that the sound field is intended for production in the plurality of channel pairs.

32. (Currently Amended) The apparatus of Claim 31, further comprising, if the number does not exceed the value, the counter produces the fourth signal indicating that the sound field is intended for production in the one channel pair.

33. (Original) The apparatus of Claim 31, where the sound event detector is in communication with a center-surround input channel pair.

34. (Currently Amended) An apparatus for determining whether a sound ~~field~~ is intended for production in one input channel pair comprising ~~multiple a pair of~~ audio input channels or a plurality of input channel pairs, each comprising ~~multiple a pair of~~ audio input channels, comprising:

means for detecting one or more sound events in the sound ~~field~~;

means for determining a comparative indicator of the power of the sound direction in communication with the means for detecting, and analyzing at least one aspect of power in one or more channel pairs to determine a direction comparison of the power of the sound ~~field~~ when the means for detecting indicates that the sound event is detected;

means for determining a number in communication with the means for determining a direction, where the means for determining the number determines a number of instances in which the comparative indicator direction of the power of the sound ~~field~~ includes a predetermined direction comparison; and

means for determining whether the number exceeds a value in communication with the means for determining the number.

35. (Currently Amended) A computer readable medium comprising computer-executable instructions for implementing an apparatus for determining whether a sound ~~field~~ is intended for production in one channel pair comprising ~~multiple a pair of~~ audio channels or a plurality of channel pairs, each comprising ~~multiple a pair of~~ audio channels, the apparatus comprising:

a sound event detector in communication with one of the plurality of input channel pairs and producing a first signal indicating when a sound event is detected;

a sound event localizer in communication with the sound event detector, where when the first signal indicates that the sound event is detected, the sound event localizer produces a second signal indicating a comparative indicator direction of a power of the sound ~~field~~, the comparative indicator direction of the power of the sound ~~field~~ being based on analyzing at least one aspect of the power in one or more channel pairs;

a detector in communication with the sound event detector and producing a third signal indicating whether the comparative indicator direction of the power of the sound ~~field~~ includes a predetermined direction comparison; and

a counter in communication with the detector and producing a fourth signal indicating whether a number of instances for which the comparative indicator direction of the power of the

sound field that includes the predetermined ~~direction comparison~~ exceeds a value, and if the number exceeds the value, the counter produces the fourth signal indicating that the sound field is intended for production in the plurality of channel pairs.

36. (Currently Amended) A computer readable medium comprising computer-executable instructions for implementing an apparatus for determining whether a sound field is intended for production in one channel pair comprising ~~multiple a pair of~~ audio channels or a plurality of channel pairs, each comprising ~~multiple a pair of~~ audio channels, the apparatus comprising:

a sound event detector in communication with the sound field and producing a first signal indicating when any of a plurality of sound events is detected;

a sound event localizer in communication with the sound event detector and when the first signal indicates that one of the plurality of sound events is detected, the sound event localizer produces a second signal indicating a comparative indicator direction of a power of the sound field, the comparative indicator direction of the power of the sound field being based on analyzing at least one aspect of the power in one or more channel pairs;

a detector in communication with the sound event detector and producing a third signal indicating whether the comparative indicator direction of the power of the sound field includes a predetermined ~~direction comparison~~; and

a counter in communication with the detector and producing a fourth signal indicating whether a number of the comparative indicator direction of the power of the sound field that includes the predetermined ~~direction comparison~~ exceeds a value, where if the number exceeds the value, the counter produces the fourth signal indicating that the sound field is intended for production in the plurality of channel pairs.

37. (Currently Amended) A computer readable medium comprising computer-executable instructions for implementing an apparatus for determining whether a sound field is intended for production in one channel pair comprising ~~multiple a pair of~~ audio channels or a plurality of channel pairs, each comprising ~~multiple a pair of~~ audio channels, the apparatus comprising:

means for detecting one or more sound events in the sound field;

means for determining a comparative indicator of the power of the sound direction in communication with the means for detecting, and analyzing at least one aspect of power in one or more channel pairs to determine a ~~direction comparison~~ of the power of the sound field when the means for detecting indicates that any of the one or more sound events are detected;

means for determining a number in communication with the means for determining a direction, where the means for determining a number determines a number of instances in which the comparative indicator direction of the power of the sound field includes a predetermined direction comparison; and

means for determining whether the number exceeds a value in communication with the means for determining a number.

38. (Canceled)

39. (Canceled)

40. (Canceled)

41. (Previously Presented) The method of Claim 1, where analyzing at least one aspect of power comprises comparing the at least one aspect of the power in one audio channel with the at least one aspect of the power in another audio channel.

42. (Previously Presented) The method of Claim 1, where power in the one audio channel comprises squaring a voltage signal in the one audio channel;

where power in the another audio channel comprises squaring a voltage signal in the another audio channel; and

where comparing the at least one aspect of the power in one audio channel with the at least one aspect of the power in another audio channel comprises comparing the squared voltage signal in the one audio channel with the squared voltage signal in the another audio channel.